

## ABSTRAK

Umairah Nur Azizah (2020). *Asuhan Keperawatan Pada Bayi dengan Berat Badan Lahir Rendah di RSUD Arifin Achmad Pekanbaru*. Laporan Tugas Akhir, Program Studi DIII Keperawatan, Jurusan Keperawatan, Politeknik Kesehatan Kemenkes Riau. Pembimbing (I) Hj. Masnun, SST, S.Kep., M.Biomed, (II) Hj. Melly, SST., M.Kes.

Bayi dengan Berat Badan Lahir Rendah (BBLR) adalah bayi yang lahir dengan berat kurang dari 2500 gram dan memiliki resiko kesakitan 35 kali lebih tinggi dibandingkan dengan bayi normal. Berdasarkan data bayi yang dirawat di RSUD Arifin Achmad Pekanbaru tahun 2020 terdapat sebanyak 191 bayi dengan diagnosa BBLR. Laporan tugas akhir ini menggunakan metode studi kasus yang meliputi pengkajian keperawatan, diagnosa keperawatan, intervensi keperawatan, implementasi keperawatan, dan evaluasi keperawatan yang dilakukan pada tanggal 01 – 06 Maret 2020. Hasil dari pengkajian didapatkan bayi lahir dengan berat badan dan panjang badan dibawah normal, bayi malas menyusu, reflek rooting dan sucking lemah, serta lebih banyak tidur. Diagnosa keperawatan yang diangkat yaitu resiko ketidakseimbangan suhu tubuh b/d kegagalan mempertahankan suhu tubuh, ketidakseimbangan nutrisi kurang dari kebutuhan tubuh b/d ketidakmampuan menerima nutrisi, dan resiko infeksi berhubungan dengan pertahanan imunologis yang kurang. Setelah dilakukan asuhan keperawatan selama 6 hari masalah keperawatan sudah teratasi dengan tanda-tanda ttv bayi dalam rentang normal, tidak ada tanda hipotermi, bayi sudah mau menyusu reflek rooting dan sucking sudah bagus, bayi tidak menunjukkan tanda dan gejala infeksi, serta ibu dan ayah mampu mencuci tangan 6 langkah dengan benar sebelum dan sesudah memegang bayi. Namun tindakan lanjutan tetap perlu dilakukan oleh ibu dan ayah yaitu untuk memantau berat badan bayi dan menerapkan teknik kangguru di rumah. Oleh karena itu, kerjasama antara tim kesehatan dengan orang tuabayi sangat diperlukan untuk keberhasilan asuhan keperawatan. Dalam hal ini penulis menggunakan metode komunikasi terapeutik agar dapat mendorong orang tua dalam menerapkan asuhan keperawatan pada Bayi dengan Berat Badan Lahir Rendah.

Kata Kunci : Asuhan Keperawatan ,Bayi Berat Badan Lahir Rendah

## ABSTRACT

Umairah Nur Azizah (2020). *Nursing Care for Babies with Low Birth Weight at RSUD Arifin Achmad Pekanbaru*. Laporan Tugas Akhir, Program Studi DIII Keperawatan, Jurusan Keperawatan, Politeknik Kesehatan Kemenkes Riau. Pembimbing (I) Hj. Masnun, SST, S.Kep., M.Biomed, (II) Hj. Melly, SST., M.Kes.

*Babies with Low Birth Weight (LBW) are babies born weighing less than 2500 grams and have a risk of pain 35 times higher than normal babies. Based on data from infants treated at RSUD Dr. Achmad Mochtar Bukittinggi in 2020 there were 191 babies with LBW diagnoses. This final project report uses the case study method which includes nursing assessment, nursing diagnoses, nursing interventions, nursing implementation, and nursing evaluations conducted on 01 - 06 March 2020. The results of the assessment found that babies were born with weight and length under normal, babies are lazy to suckle, rooting and sucking reflexes are weak, and more sleep. Nursing diagnoses that are raised are the risk of imbalance in body temperature b / d failure to maintain body temperature, nutritional imbalance is less than the body's needs b / d inability to receive nutrients, and the risk of infection is associated with less immunological defenses. After doing nursing care for 6 days the nursing problem has been resolved with signs of baby ttv in the normal range, no signs of hypothermia, the baby is willing to suckle rooting and sucking reflexes is good, the baby does not show signs and symptoms of infection, and mother and father able to wash hands 6 steps properly before and after holding the baby. But further action still needs to be done by mothers and fathers, namely to monitor baby's body weight and apply kangaroo techniques at home. Therefore, collaboration between the health team and the baby's parents is very necessary for the success of nursing care. In this case the authors use therapeutic communication methods in order to encourage parents to apply nursing care to babies with low birth weight.*

*Keywords: Nursing Care, Low Birth Weight Babies*