

*HASIL UJI SPSS*

A. HUBUNGAN UMUR DAN KPD

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Umur * KPD	314	100.0%	0	.0%	314	100.0%

**Umur \* KPD Crosstabulation**

			KPD		Total
			Tidak	Ya	
Umur	Resiko Rendah	Count	190	39	229
		% within Umur	83.0%	17.0%	100.0%
	Resiko Tinggi	Count	39	46	85
		% within Umur	45.9%	54.1%	100.0%
Total		Count	229	85	314
		% within Umur	72.9%	27.1%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	43.189 <sup>a</sup>	1	.000		
Continuity Correction <sup>b</sup>	41.331	1	.000		
Likelihood Ratio	40.448	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	43.052	1	.000		
N of Valid Cases	314				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 23,01.

b. Computed only for a 2x2 table

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Umur (Resiko Rendah / Resiko Tinggi)	5.746	3.321	9.944
For cohort KPD = Tidak	1.808	1.425	2.295
For cohort KPD = Ya	.315	.223	.445
N of Valid Cases	314		

**B. HUBUNGAN PARITAS DAN KPD**

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Paritas * KPD	314	100.0%	0	.0%	314	100.0%

**Paritas \* KPD Crosstabulation**

			KPD		Total
			Tidak	Ya	
Paritas	Tidak beresiko	Count	152	52	204
		% within Paritas	74.5%	25.5%	100.0%
	Resiko	Count	77	33	110
		% within Paritas	70.0%	30.0%	100.0%
Total		Count	229	85	314
		% within Paritas	72.9%	27.1%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.736 <sup>a</sup>	1	.391		
Continuity Correction <sup>b</sup>	.526	1	.468		
Likelihood Ratio	.729	1	.393		
Fisher's Exact Test				.425	.233
Linear-by-Linear Association	.734	1	.392		
N of Valid Cases	314				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 29,78.

b. Computed only for a 2x2 table

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Paritas (Tidak beresiko / Resiko)	1.253	.748	2.097
For cohort KPD = Tidak	1.064	.920	1.232
For cohort KPD = Ya	.850	.587	1.229
N of Valid Cases	314		

**C. HUBUGAN KELAINAN LETAK JANIN DAN KPD**

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Kelainan Letak Janin * KPD	314	100.0%	0	.0%	314	100.0%

**Kelainan Letak Janin \* KPD Crosstabulation**

			KPD		Total
			Tidak	Ya	
Kelainan Letak Janin	Tidak	Count	213	39	252
		% within Kelainan Letak Janin	84.5%	15.5%	100.0%
	Ya	Count	16	46	62
		% within Kelainan Letak Janin	25.8%	74.2%	100.0%
Total	Count	229	85	314	
	% within Kelainan Letak Janin	72.9%	27.1%	100.0%	

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	86.896 <sup>a</sup>	1	.000		
Continuity Correction <sup>b</sup>	83.947	1	.000		
Likelihood Ratio	78.753	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	86.619	1	.000		
N of Valid Cases	314				

a. 0 cells (,0%) have expected count less than 5. The minimum expected count is 16,78.

b. Computed only for a 2x2 table

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Kelainan Letak Janin (Tidak / Ya)	15.702	8.088	30.484
For cohort KPD = Tidak	3.275	2.141	5.012
For cohort KPD = Ya	.209	.151	.288
N of Valid Cases	314		

**D. HUBUNGAN GEMELLI DAN KPD**

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Kehamilan Gemelli * KPD	314	100.0%	0	.0%	314	100.0%

**Kehamilan Gemelli \* KPD Crosstabulation**

			KPD		Total
			Tidak	Ya	
Kehamilan Gemelli	Tidak	Count	225	69	294
		% within Kehamilan Gemelli	76.5%	23.5%	100.0%
	Ya	Count	4	16	20
		% within Kehamilan Gemelli	20.0%	80.0%	100.0%
Total	Count	229	85	314	
	% within Kehamilan Gemelli	72.9%	27.1%	100.0%	

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	30.312 <sup>a</sup>	1	.000		
Continuity Correction <sup>b</sup>	27.517	1	.000		
Likelihood Ratio	26.314	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	30.216	1	.000		
N of Valid Cases	314				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 5,41.

b. Computed only for a 2x2 table

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Kehamilan Gemelli (Tidak / Ya)	13.043	4.220	40.312
For cohort KPD = Tidak	3.827	1.589	9.214
For cohort KPD = Ya	.293	.217	.396
N of Valid Cases	314		