

**Lampiran 5**

**IMUNISASI DASAR**

**Imunisasidasar**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid tidak lengkap	55	57,3	57,3	57,3
Lengkap	41	42,7	42,7	100,0
Total	96	100,0	100,0	

**IMUNISASI DASAR\* pendidikanibu**

**Pnddknibu**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid pendidikan rendah	49	51,0	51,0	51,0
pendidikan tinggi'	47	49,0	49,0	100,0
Total	96	100,0	100,0	

**pnddknibu \* Imunisasidasar Crosstabulation**

		Imunisasidasar		Total
		tidak lengkap	lengkap	
pnddknibu pendidikan rendah	Count	32	17	49
	% within pnddknibu	65,3%	34,7%	100,0%
pendidikan tinggi'	Count	23	24	47
	% within pnddknibu	48,9%	51,1%	100,0%
Total	Count	55	41	96
	% within pnddknibu	57,3%	42,7%	100,0%

**Chi-Square Tests**

	Value	Df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2,627 <sup>a</sup>	1	,105		
Continuity Correction <sup>b</sup>	2,001	1	,157		
Likelihood Ratio	2,639	1	,104		

Fisher's Exact Test				,148	,078
Linear-by-Linear Association	2,600	1	,107		
N of Valid Cases	96				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 20,07.

b. Computed only for a 2x2 table

#### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for pnddknibu (pendidikan rendah / pendidikan tinggi')	1,964	,865	4,462
For cohort Imunisasidasar = tidak lengkap	1,335	,935	1,906
For cohort Imunisasidasar = lengkap	,679	,422	1,093
N of Valid Cases	96		

### IMUNISASI DASAR\* Media sosial

#### Medsos

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	tidak percaya	54	56,3	56,3	56,3
	percaya	42	43,8	43,8	100,0
	Total	96	100,0	100,0	

#### medsos \* Imunisasidasar Crosstabulation

			Imunisasidasar		Total
			tidak lengkap	lengkap	
medsos	tidak percaya	Count	24	30	54
		% within medsos	44,4%	55,6%	100,0%
	percaya	Count	31	11	42
		% within medsos	73,8%	26,2%	100,0%
Total		Count	55	41	96
		% within medsos	57,3%	42,7%	100,0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	8,326 <sup>a</sup>	1	,004		
Continuity Correction <sup>b</sup>	7,169	1	,007		
Likelihood Ratio	8,540	1	,003		
Fisher's Exact Test				,007	,003
Linear-by-Linear Association	8,239	1	,004		
N of Valid Cases	96				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 17,94.

b. Computed only for a 2x2 table

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for medsos (tidak percaya / percaya)	,284	,119	,679
For cohort Imunisasidasar = tidak lengkap	,602	,425	,853
For cohort Imunisasidasar = lengkap	2,121	1,210	3,717
N of Valid Cases	96		

### IMUNISASI DASAR\* KIPI

#### KIPI

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid tidak ada KIPI	26	27,1	27,1	27,1
ada KIPI	70	72,9	72,9	100,0
Total	96	100,0	100,0	

#### Crosstab

		Imunisasidasar		Total
		tidak lengkap	Lengkap	
KIPI tidak ada KIPI	Count	9	17	26
	% within KIPI	34,6%	65,4%	100,0%

ada KIPI	Count	46	24	70
	% within KIPI	65,7%	34,3%	100,0%
Total	Count	55	41	96
	% within KIPI	57,3%	42,7%	100,0%

#### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	7,494 <sup>a</sup>	1	,006		
Continuity Correction <sup>b</sup>	6,276	1	,012		
Likelihood Ratio	7,486	1	,006		
Fisher's Exact Test				,010	,006
Linear-by-Linear Association	7,415	1	,006		
N of Valid Cases	96				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 11,10.

b. Computed only for a 2x2 table

#### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for KIPI (tidak ada KIPI / ada KIPI)	,276	,107	,712
For cohort Imunisasidasar = tidak lengkap	,527	,302	,917
For cohort Imunisasidasar = lengkap	1,907	1,243	2,927
N of Valid Cases	96		

### IMUNISASI DASAR\* dampak Covid-19

#### Dampakcovid

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Tidak ada dampak covid	26	27,1	27,1	27,1
ada dampak covid	70	72,9	72,9	100,0
Total	96	100,0	100,0	

#### Crosstab

			Imunisasidasar		Total
			tidak lengkap	lengkap	
Dampakcovid	Tidak ada dampak covid	Count	9	17	26
		% within Dampakcovid	34,6%	65,4%	100,0%
	ada dampak covid	Count	46	24	70
		% within Dampakcovid	65,7%	34,3%	100,0%
Total		Count	55	41	96
		% within Dampakcovid	57,3%	42,7%	100,0%

#### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	7,494 <sup>a</sup>	1	,006		
Continuity Correction <sup>b</sup>	6,276	1	,012		
Likelihood Ratio	7,486	1	,006		
Fisher's Exact Test				,010	,006
Linear-by-Linear Association	7,415	1	,006		
N of Valid Cases	96				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 11,10.

b. Computed only for a 2x2 table

#### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Dampakcovid (Tidak ada dampak covid / ada dampak covid)	,276	,107	,712
For cohort Imunisasidasar = tidak lengkap	,527	,302	,917
For cohort Imunisasidasar = lengkap	1,907	1,243	2,927
N of Valid Cases	96		