

Difference in Energy and Protein Intake between Urban and Rural Stunted Children Aged 4-6 Years

by Aslis Wirda Hayati

Submission date: 16-Apr-2020 08:47PM (UTC+0700)

Submission ID: 1299116252

File name: 6_0_Difference_in_Energy_and_Protein_Intake.pdf (155.42K)

Word count: 366

Character count: 1949

DIFFERENCE IN ENERGY AND PROTEIN INTAKE BETWEEN URBAN AND RURAL STUNTED CHILDREN AGED 4-6 YEARS

Iin Qur'ainni¹⁾, Aslis Wirda Hayati²⁾, Sri Desfita¹⁾

¹⁾Masters Program in Public Health, School of Health Sciences Hang Tuah Pekanbaru

²⁾School of Health Polytechnics, Ministry of Health Riau

ABSTRACT

Background: Nutritional status in early childhood may greatly affect health, and subsequently impact not only a child's own growth and development, but also economic development in the country. Previous study reported that stunting was a major nutritional problem in Indonesia (rural: 39.2%; urban: 25.1%). The purpose of this study was to determine the difference in energy and protein intake between urban and rural stunted children aged 4-6 years.

Subjects and Method: This was a mixed method study conducted in Jake village and Taluk Kuatan city preschools. A sample of 58 stunted children aged 4-6 years was selected for this study. The dependent variables were energy and protein intakes. The independent variable was residence. The data were collected by food recall method (1x24 hours). The data on qualitative study were collected by focus group discussion. The data were analyzed by independent t test.

Results: Children energy intake in urban area (mean=1,070.31; SD=133.71) was higher than in rural area (mean=998.96; SD=301.35), but it was statistically not significant ($p=0.249$). Children protein intake in urban area (mean=32.48; SD=4.81) was higher than in rural area (mean=31.28; SD=2.61), but it was statistically not significant ($p=0.240$).

Conclusion: Children energy intake in urban area is higher than in rural area, although it is statistically not significant. Likewise, children protein intake in urban area is higher than in rural area, although it is statistically not significant.

Keywords: stunted, energy, protein, intake, urban, rural.

Correspondence:

Iin Qur'ainni. Masters Program in Public Health, School of Health Sciences Hang Tuah Pekanbaru, Jl. Mustafa Sari No.5, Tangkerang Selatan, Bukit Raya, Kota Pekanbaru, Riau 28125. Email: iin2.sifa@gmail.com. Mobile: 081327992562

Difference in Energy and Protein Intake between Urban and Rural Stunted Children Aged 4-6 Years

ORIGINALITY REPORT

41 %

SIMILARITY INDEX

34 %

INTERNET SOURCES

13 %

PUBLICATIONS

9 %

STUDENT PAPERS

MATCH ALL SOURCES (ONLY SELECTED SOURCE PRINTED)

21%

★ media.neliti.com

Internet Source

Exclude quotes On

Exclude bibliography On

Exclude matches < 5 words