

LAMPIRAN

Lampiran 1. Formulir *Food Recall*

[illegible]

Lampiran 2. Analisis Data

a. Tabel Analisis Data Rentang Usia

		kategori umur			
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<21	29	7.2	7.2	7.2
	21-35	316	78.6	78.6	85.8
	>35	57	14.2	14.2	100.0
	Total	402	100.0	100.0	

b. Tabel Analisis Data Riwayat Pendidikan Responden

		kategori pendidikan			
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak sekolah	6	1.5	1.5	1.5
	Sd (tidak tamat)	41	10.2	10.2	16.4
	Sd (lulus)	53	13.2	13.2	29.6
	Smp	228	56.7	56.7	86.3
	Sma	54	13.4	13.4	99.8
	Perguruan tinggi	54	13.4	13.4	99.8
	Total	402	100.0	100.0	

c. Tabel Analisis Data Usia Kehamilan Responden

		trimesterkehamilan			
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	64	15.9	15.9	15.9
	2	167	41.5	41.5	57.5
	3	171	42.5	42.5	100.0
	Total	402	100.0	100.0	

d. Tabel Analisis Data Status Gizi Responden

		KategoriIila			
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	KEK	39	9.7	9.7	9.7
	Tidak KEK	363	90.3	90.3	100.0
	Total	402	100.0	100.0	

e. Tabel Analisis Data Gambaran Asupan Energi

		energi			
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	kurang	301	74.9	74.9	74.9
	cukup	101	25.1	25.1	100.0
	Total	402	100.0	100.0	

f. Tabel Analisis Data Gambaran Asupan Protein

		protein			
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	kurang	219	54.5	54.5	54.5
	cukup	183	45.5	45.5	100.0
	Total	402	100.0	100.0	

g. Tabel Analisis Data Gambaran Asupan Lemak

		lemak			
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	kurang	237	59.0	59.0	59.0
	cukup	165	41.0	41.0	100.0
	Total	402	100.0	100.0	

h. Tabel Analisis Data Gambaran Asupan Karbohidrat

		karbohidrat			
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	kurang	351	87.3	87.3	87.3
	cukup	51	12.7	12.7	100.0
	Total	402	100.0	100.0	

i. Tabel Analisis Data Hubungan Asupan Energi dengan Status Gizi Ibu Hamil

Chi-Square Tests					
	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.096 ^a	1	.756	.848	.464
Continuity Correction ^b	.013	1	.908		
Likelihood Ratio	.098	1	.754		
Fisher's Exact Test					
Linear-by-Linear Association	.096	1	.757		
N of Valid Cases	402				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 9,80.

b. Computed only for a 2x2 table

j. Tabel Analisis Data Hubungan Asupan Protein dengan Status Gizi Ibu Hamil

Chi-Square Tests					
	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.065 ^a	1	.799	.866	.467
Continuity Correction ^b	.007	1	.932		
Likelihood Ratio	.065	1	.798		
Fisher's Exact Test					
Linear-by-Linear Association	.065	1	.799		
N of Valid Cases	402				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 17,75.

b. Computed only for a 2x2 table

k. Tabel Analisis Data Hubungan Asupan Lemak dengan Status Gizi Ibu Hamil

Chi-Square Tests					
	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2.942 ^a	1	.086	.090	.059
Continuity Correction ^b	2.384	1	.123		
Likelihood Ratio	3.065	1	.080		
Fisher's Exact Test					
Linear-by-Linear Association	2.935	1	.087		
N of Valid Cases	402				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 16,01.

b. Computed only for a 2x2 table

l. Tabel Analisis Data Hubungan Asupan Karbohidrat dengan Status Gizi Ibu Hamil

Chi-Square Tests					
	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.230 ^a	1	.631	.802	.430
Continuity Correction ^b	.051	1	.821		
Likelihood Ratio	.243	1	.622		
Fisher's Exact Test					
Linear-by-Linear Association	.230	1	.632		
N of Valid Cases	402				

a. 1 cells (25,0%) have expected count less than 5. The minimum expected count is 4,95.

b. Computed only for a 2x2 table

Lampiran 3. Master Data Mata Kuliah Program Perencanaan Gizi (PPG) Ibu Hamil Tahun 2024

No	Nama	U mr	Usia khml	T M	BB SI	Tb	Lila	Jml energi	Kckpn energi	%	Jml Protein	Kckpn protein	%	Jml lemak	Kckpn lemak	%	Jml KH	Kecukupan KH	%
1.	JR	35	28	2	55,8	155	25	1102	2450	44.9	65,59	70	109.3	15,16	62,3	25.26	171,39	380	45
2.	RT	30	32	3	50,56	150	22.5	992	2450	42.57	80,1	90	89	24,57	62.3	40.95	109,18	380	28.7
3	TS	36	24	2	52,75	160	24	1365	2450	40	104,29	70	148	16,96	62.3	27	167,82	380	44
4	EM	24	26	2	63,95	156	28	789	2550	30.9	60	70	85	5,54	67.3	8.52	95,68	400	23
5	Y	23	16	2	51,17	152	25.5	1520.9	2550	60	44.8	61	73	33.9	67.3	50	254.4	400	63
6	R	30	17	2	54,23	155	28	1502.2	2450	61	62.7	90	70	33.6	67.3	50	234	380	62
7	N	38	22	2	59,2	148	29	1666	2450	68	75.8	90	84	51.2	67.3	76	220.4	380	58
8	P	24	17	2	64,5	161	28	1940.6	2550	76	81	61	133	33.9	67.3	50	267.9	400	67
9	VL	23	29	3	75,15	159,8	30	954	2550	37.41	30,42	90	40.70	4,42	67.3	6.80	191,79	400	48
10	Ha	29	12	1	76,75	155	33	1650	2430	67.90	53,37	61	88.95	8,95	67.3	13.70	84,9	385	22
11	He	30	8	1	59,05	156	27.5	1484	2330	18	52,88	61	88	7,36	62.3	12	85,97	365	23
12	Rs	25	32	3	56,65	156,3	24.5	810	2550	32	28,22	90	47	24,28	67.3	37.30	122,84	400	31
13	SN	28	18	2	64,5	154	27.5	959	2550	37.6	30,59	70	43	30,17	67,3	37.3	141	400	35
14	AG	35	30	3	71,4	148	27.5	846	2450	34.53	37,96	90	47.45	18,19	62,3	29	131,48	380	34.6
15	NRA	37	12	1	64,2	150	29.5	674	2330	28.92	27,64	61	44.5	10	62,3	16	114	365	31.27
16	DW	39	30	3	56,4	151	25	564	2450	23	16,85	90	18.72	6,09	62,3	9	114	380	30
17	LS	29	19	2	43,29	150	23	771,1	2550	34.27	45,3	70	75.50	18,7	67.3	28.76	86,5	400	22
18	RS	35	26	2	79,7	154	32	1578,5	2450	64.42	54,5	70	90.83	41,1	62.3	68.50	243,4	380	64
19	M	35	12	1	76,7	158,4	30	797,1	2330	34	44,8	61	75	20,8	62.3	35	104,7	380	28
20	S	25	11	1	43,1	160	21.5	903,1	2430	37	38,7	61	63	43,2	67.3	64	96,1	385	25
21	Y	40	12	2	43,5	150	25	608	2450	24	4,1	70	5.8	27	62.3	43	41,4	380	11
22	IY	36	28	3	62,5	155	25	692,4	2450	28	25,5	90	28	26,1	62,3	42	88,2	380	23
23	DN	29	16	2	68,45	160	29	606,5	2550	24	52,74	70	88	23,25	62.3	39	68,6	400	17
24	AM	22	38	3	66,55	154	23	501	2550	19	18,3	90	30	12	62.3	20	107,7	400	27
25	J	36	36	3	94,5	178	35	915,1	2450	32	34,3	90	36	15,7	72,3	21	161,2	380	42
26	DR	29	36	3	89	160	31	1,276,1	2450	44	57,2	90	60	48,8	72,3	67	185,5	400	46
27	S	41	10	2	50	145	27	1,021,7	2430	37	31,6	70	47	21,6	72,3	29	147,6	380	33
28	MF	26	24	2	68,7	158	30.5	1,334	2450	45	44,3	70	59	33,4	77,3	43	208,6	400	39
29	FAP	22	23	2	47,65	153	23.5	1778	2550	70	79,34	70	113.34	36,98	67,3	54.94	275,32	400	69
30	JA	28	29	3	48	156	22	1786	2550	70	80,99	90	115.70	55,35	67,3	82.00	243,72	400	60.00
31	YS	27	12	1	50	145	29	1858	2430	7	94,63	61	155	72,39	67,3	107	207,84	385	53.98
32	RA	27	20	2	49	155	21	1748	2550	68	115,35	70	164	78,27	67,3	116	151,6	400	37.90
33	SD	34	36	3	47	150	28	902	2450	36.80	49,37	90	54.80	22,49	62,3	36.09	126,24	380	33.20
34	YES	28	34	3	65	150	28	1574	2550	61.70	74,38	90	82.60	100,1	67,3	148.7	238,68	400	59.70
35	RW	37	25	2	57	157	25	1649	2550	64.58	81,71	90	90.70	60,1	62,3	96.46	222,21	400	55.50
36	TS	35	17	2	86	157	34	2575	2330	110.62	93,88	70	153.90	103,76	62,3	166.5	316,3	380	83
37	AL	30	24	2	83	158	29	2.350	2450	96	77	70	110	70	62.3	111	363	380	95
38	LE	32	32	3	68,6	160	27.5	2.250	2450	92	77	90	85	70	62.3	111	368	380	96
39	PSR	28	37	3	98	153	35	2.950	2550	120	76	90	84	80	62.3	126	349	400	87
40	EE	38	5	1	79	173	33	2030	2330	83	77	61	126	66	62.3	104	257	365	70
41	NH	26	30	3	75.15	165.6	30	994	2450	44.40	35.42	90	55.2	4.42	67.3	7.80	202	400	50
42	LS	35	20	2	76.75	156.3	33	1658	2450	63.30	53.37	70	80.95	8.95	62.3	10.70	84.9	380	22.3
43	WS	30	8	1	60.05	156.0	27.5	1684	2330	59	52.88	61	88	7.36	62.3	12	85.97	365	23.5

44	DF	25	32	3	56.65	152	24.5	910	2550	33	30.22	90	47	24.28	67.3	36.30	122.84	400	30.7
45	SM	27	39	3	61	153	27	1617	2550	71,8	78,4	90	87.11	63,7	67,3	94.6	180,66	400	45.1
46	SY	31	33	3	69,3	160	29	1604	2450	65,4	84,9	90	94.3	48,4	62,3	77.6	209,2	380	55.05
47	SR	30	34	3	88,7	159	33	2220	2450	90,6	94,03	90	104.4	70,9	62,3	113.8	301,5	380	79.3
48	MDK	30	37	3	88,7	162	35	1685	2450	68,7	58,9	90	65.4	56,9	62,3	91.3	238,5	380	62.7
49	SRP	29	35	3	75.5	153	29	2220.2	2550	87	79.9	90	88	103.3	67.3	153.4	253.3	400	63
50	GA	19	34	3	54.4	154	25	1420	2550	55	59.6	90	66.2	43.1	67.3	64	194.4	400	48.6
51	PF	24	32	3	66.3	155	26	1801	2550	70	136	90	151	37.2	67.3	55.7	218.6	400	54.6
52	R	31	25	2	71.1	175	30	2279.8	2450	93	48.3	70	69	105.8	62.3	169	277.6	380	73
53	RR	30	36	3	77	155	30	2580,7	2450	120	89,3	90	99	25,3	62,3	40	512	380	134
54	YN	21	20	2	57,8	150	31	1.516,4	2550	67	88,6	70	126.50	57,8	67,3	85.80	153,8	400	38
55	SR	27	8	1	101,2	173	40	1.959,1	2430	80,60	117	61	191	66,5	67,3	98	230,9	385	59
56	UA	26	15	2	56,3	145	30	2021,3	2550	79	101,4	70	144.50	75	67,3	111	222,8	400	55.70
57	D	35	15	1	63	160	30	1.522	2.450	62	79,45	70	113	45,02	62,3	72	199,24	380	52
58	DWN	31	30	3	58	160	25	1.458	2.450	59	79,81	70	114	39,81	62,3	63	192,37	380	50
59	RRA	39	28	3	49,1	150	23	1.333	2.450	54	70,61	70	100	34,09	62,3	54	187,03	380	49
60	GJ	21	24	2	56,4	160	24.5	1.384	2.550	54	58,75	70	83	26,48	67,3	39	211,44	400	52
61	LF	33	36	3	52	158	22.5	753	2450	30.73	42,95	90	47.72	38,87	62,3	62.39	73,63	380	19.37
62	NR	40	30	3	49,4	143	27	469	2450	19.14	23,5	90	26.11	63,64	62,3	102.1	16,81	380	4.42
63	MR	36	36	3	58	155	24	1636	2450	66.77	61,49	90	63.32	62,98	62,3	99	16,81	380	4.66
64	MY	32	37	3	69,6	152	32.9	696	2450	28.40	33,31	90	47.58	57,5	62,3	92.29	46,46	380	12.72
65	AM	23	10	1	50	156	27	1161	2430	51.60	70,89	70	93.20	29,1	67,3	35.9	159,5	385	47.70
66	MJP	24	17	2	50,3	150	24	1345	2550	59.70	68,54	70	90.10	36,63	67,3	43	184,8	400	46.80
67	EMZ	32	32	3	80,35	152	35	1436	2450	66.70	90,5	90	117.50	48,2	62,3	68.8	160,7	380	44.20
68	NZ	29	13	1	53,4	154,5	28	1428	2550	63.40	84,1	61	110.60	42,62	67,3	52.6	179,5	385	53.70
69	KFS	39	28	2	98	160	30	2305,8	2450	94.1	186,9	70	267	87,1	62,3	139.8	191,1	380	50.2
70	AAT	18	18	2	52	160	23.5	1104,7	2400	46	45,9	75	61.2	50,7	72.3	70.1	119,6	340	35.1
71	RE	30	35	3	43,4	150	23	1184,9	2450	48,3	50,5	90	56.1	36,6	62,3	58.7	167,9	380	44.1
72	SHP	25	21	2	51,9	149	26	2163,8	2550	84,8	76,2	70	108.8	108,6	67,3	161.3	223,9	400	55.9
73	DA	27	12	1	52,4	162	24	1174	2430	48	72,82	61	110	62,69	72,3	86	89,41	385	27.5
74	RDW	21	20	2	56,9	163	24	673	2550	34	25,8	70	36	26,87	67,3	39	127,91	400	31
75	FS	28	31	3	64,2	160	31	703	2550	27	54,52	90	60.5	16,88	67,3	25	76,86	400	19.2
76	NW	29	28	2	54,6	155	26	735	2550	25	28,38	70	40.5	26,51	67,3	39.31	98,05	400	24.6
77	MR	27	24	2	51	153	23.5	1017,5	2550	40	48,7	70	69.57	19	67,3	28.23	160,5	400	40.12
78	RPD	33	20	2	63	165	24	868,6	2450	35.45	24,88	70	35.54	21,9	62,3	35.15	139,93	380	36.8
79	NID	32	30	3	79	156	33.5	2173	2450	88.69	99,43	90	110.47	64,25	62,3	100.31	296,75	380	78.09
80	AM	32	29	3	80	150	36	1999	2450	81.59	69,14	90	76.82	61,5	62,3	98.71	291,54	380	76.72
81	NN	25	32	3	69,35	157	28	1325,6	2550	52.00	66	90	73	55,9	67,3	83.00	245,7	400	61.40
82	AA	29	10	1	42,8	148	23	1228,1	2430	50.60	31,8	61	51	7,9	67,3	11.80	253	385	65.80
83	B	28	24	2	63,35	150	27.8	1210,3	2550	47.50	52,2	70	74.30	10,2	67,3	15.30	223,5	400	55.80
84	RL	26	14	1	67	150	33	1274,4	2430	52.50	36,5	61	60	48,7	67,3	72.40	169,9	385	44
85	MDRWT	37	28	2	55,5	160	26	654,1	2450	26.69	27,4	70	39.14	19	62,3	30.49	92,5	380	24.34
86	YS	27	13	2	44	144	24	1447,7	2550	57	107	70	152.85	44,7	67,3	66.41	157,8	400	39.45
87	TPS	23	28	2	49,5	159	23.5	1204,5	2550	47.23	93,6	70	133.71	21,6	67,3	32.09	157,5	400	39.37
88	VRD	27	27	2	67,5	150	29.5	1048,1	2550	41.10	56,61	70	80.87	37,7	67,3	56.01	130,5	400	32.62

89	M	36	28	2	55	155	27	634.4	2450	27	30.4	80	40	30.1	62.3	40	80.5	380	22.02
90	RR	32	35	3	90,6	155	32	1500.01	2451	55	110	90	140.55	15	62.3	32.02	140.1	380	36
91	Y	27	28	3	65	155	26	1304.6	2550	40.23	95.6	90	120.01	40.7	67.3	66	94.5	400	35.37
92	N	38	28	2	51,5	156	24	1447.7	2550	57	60.61	70	82.71	36.7	67.3	58	157.5	380	34.62
93	NE	33	38	3	67,7	153	24	1.318	2330	56,57	65,1	90	93	55,4	62,3	88.92	135,1	380	35.55
94	EY	37	12	1	47,25	160	24	1.647,0 0	2330	73.9	54,4	61	89.18	69,8	62,3	112.04	202,6	365	55.51
95	RP	31	35	3	68	158	27	1.579	2.550	67.79	70,9	70	101.29	51,6	62,3	82.83	207,5	380	54.61
96	RN	31	15	2	49,6	145	26	2.049	2.550	87.96	109,5	70	156.43	74,2	62,3	119.1	230,6	380	60.68
97	R	32	24	3	58	165	24	1.434	2.450	66.69	42,13	90	74	43,9	62.3	731.6	217,7	380	67.39
98	SH	22	28	3	48	153	24	1.841	2.550	81.8	31,01	90	55	113,29	67.3	151.05	205,5	400	66.5
99	NO	24	30	3	47	153	24	1.255	2.550	55.7	30,4	90	61	75,64	67.3	100.85	170,29	400	55.1
100	D	26	24	3	47	120	25	624	2.550	27.73	22,45	90	40	117,43	67.3	156.57	105,12	400	34.19
101	NH	25	9	1	54	158	27.5	1.959,3 0	2.430	80.63	103,6	61	169.8	61	67,3	90.6	434,4	385	112.8
102	SH	26	26	2	76	157	32.5	1.198,7 0	2.550	47	71,3	70	101.8	52,2	67,3	77.6	312,6	400	78.15
103	YP	28	16	2	56	162	27	2.609,5 0	2.550	102.3	86,3	70	123.3	76,6	67,3	113.8	594,8	400	148.7
104	CJS	28	32	3	81	159	34	1.138,7 0	2.450	46	60,2	90	66.9	19,9	62,3	31.9	365,2	380	96.1
105	DE	34	18	2	62	156	27	1.432,9 0	2.450	58.48	100,8	70	144	44,9	62,2	72.1	161	380	42.3
106	CW	20	32	3	64	158	26	1.414	2.450	57.70	71,1	90	79	51,3	62,3	82.3	168,1	380	44.2
107	IP	21	36	3	46	147	28	1.479,4 0	2.550	58.01	54	90	60	67,8	67,3	100.7	162,8	400	40.7
108	Y	28	16	2	73,1	160	32.5	1380,1	2.550	54.1	35,6	70	50.8	67,2	67,3	99.8	161,5	400	40.3
109	MA	27	28	3	63	158	26	1,647	2550	73.20	53,4	90	88.30	73,2	67,3	112	82,3	400	22.70
110	SP	32	29	3	56	157	24.5	1,932	2450	89.80	69,2	90	115	69,2	62.3	115	114,9	380	33.0
111	NI	28	56	3	70	160	34	671,9	2550	29.80	17,5	90	28.30	33,6	67.3	50.70	42,4	400	11.60
112	TS	35	8	2	99	160	36	3.047	2450	141.70	82,5	70	137.50	198,6	62.3	330	239,9	380	70.20
113	M	27	34	3	59,5	150	25	2.098	2550	93	53,2	90	88	87,9	67.3	135	271,1	400	75
114	RRP	28	11	1	63	157	26	1.758	2550	78	108,3	61	180	55,6	67.3	85	198,9	365	55
115	C	28	20	1	61	153	25	2.421,1 0	2250	107	133,5	61	222	91,5	67.3	140	263,4	385	73
116	S	24	37	3	57	158	26	2.334,6 0	2250	103	103,4	90	172	110,5	67.3	170.00	223,6	400	62
117	AP	24	12	1	41	155	21.8	2294	2420	95	130	61	216	70	67,3	104	285	385	74
118	IR	33	17	2	71	155	26	1391	2450	57	53	70	76	43	62,3	69	208	380	55
119	K	24	29	3	52	155	23.5	1550	2550	45	59	90	65	61	62,3	98	168	400	42
120	NMS	30	32	3	65	158	25.7	3500	2.450	142	135	90	150	103	62,3	166	518	380	136
121	YM	21	32	3	48	150	24	2.212	2.550	86.74	98,7	90	110	72,6	67,3	107.87	295,9	400	73.97
122	VA	27	20	2	42	152	24	564	2.550	25.06	34,2	70	48.85	5,6	67,3	8.32	90,8	400	22.70
123	LQ	29	23	2	55	157	25	1.528,0 0	2.550	59.92	71,3	70	101.85	61,9	67,3	91.97	175,4	400	43.85
124	MMP	36	23	2	55	165	25	1.301,6	2.450	53	38,3	90	55	22,7	67,3	36.43	232,7	380	61.23

								0											
125	FJ	39	16	2	52	147	28.5	935	2.450	38.16	28,8	70	41.14	23,9	62,3	38.36	145,2	380	38.21
126	AD	35	31	3	70	155	28.5	1.567,5	2450	63.98	84,91	90	94.34	71	62,3	113.96	141,28	380	37.18
127	RN	34	39	3	68,35	158	29.5	1534	2450	62.61	50,2	90	55.78	63,2	62,3	101.44	184,9	380	48.66
128	MH	29	16	2	62	150	30.9	1397,8	2550	54.82	39,6	70	56.57	24,3	67,3	36.11	258,4	400	64.60
129	WD	29	16	2	62	155	32	3.067,8	2550	120.3	126,3	70	210	51,6	67,3	79	224,2	400	62
130	SA	38	20	2	52	156	24	934,2	2450	38	50,3	70	83	51,4	62,3	85	65,2	380	19
131	WDY	36	36	3	63	155	31	1142,1	2450	46.6	37,2	90	62	26,5	62,3	44	185,9	380	29
132	SPL	30	24	2	61	160	28	1.183,7	2,450	48	42,7	70	71	21,5	62,3	35	202,3	380	59
133	LEP	37	15	2	66	168	27.5	1,272	2450	46	27,6	70	7.6	41,81	62,3	11.4	197,9	380	30
134	EEG	27	20	2	61,5	156	29	2,233	2550	87	100,2	70	27.8	58,9	67,3	87	310,0	400	77
135	DW	31	12	1	70	158	30	1,867	2330	80	82,21	70	34.2	62,2	62,3	92	216,3	365	41
136	IN	24	20	2	48	148	24	1,340	2430	55	86,7	70	24.0	25,4	67,3	6.95	183,2	400	27.7
137	LA	19	22	2	49,5	149,5	23	1598	2550	62	36,33	70	51.9	64,04	67,3	95.15	225,65	400	56.41
138	F	29	12	1	44	147,5	23	1696	2430	69.7	76,40	61	125.24	47,81	67,3	71.04	215,19	385	55.89
139	SNSD	32	28	3	50	151	26	2773	2450	113	160,32	90	178.13	97,01	62,3	155.71	330,47	380	86.96
140	SW	33	28	3	65	140	30	2899	2450	118.3	79,90	90	88.77	76,27	62,3	122.42	424,21	380	114.65
141	FF	24	20	2	62	158	29.5	827	2550	32.43	45,48	70	64.97	32,20	67,3	46.96	86,23	400	21.55
142	HR	29	32	3	54,21	153	28.5	1036	2550	40.62	32,44	90	36.04	50,27	67,3	74.69	197,38	400	49.34
143	CA	20	32	3	51	145	27	962	2550	37.72	44,96	90	49.95	31,44	67,3	46.71	122,88	400	30.72
144	MS	28	28	3	72	150	30.5	996	2550	39.05	54,26	90	60.28	42,38	67,3	62.97	100,08	400	25.02
145	YM	27	14	2	47,45	155	24	1132	2550	44.3	30,4	70	43.42	47,8	67,3	71.02	146,2	400	36.55
146	IW	41	32	3	53,15	157	25.5	1628	2450	66.44	69,5	90	77.22	99,2	62,3	159.2	1138	380	29.94
147	FS	24	12	2	51	150	26	1048	2550	41.09	21,1	70	30.14	20	67,3	29.71	184,5	400	46.12
148	VWP	30	33	3	57,05	148	26.5	1419	2450	57.91	50,23	90	55.81	57	62,3	91.49	164	380	43.15
149	A	32	32	3	71	149,8	23.5	1.594,4 5	2450	65	43.05	90	34.16	72.45	62,3	114	194.55	380	27.02
150	N	39	20	2	79	165,2	28	1897,15	2.450	74.4	31,25	90	34.7	89,8	67,3	133.4	211,5	400	52.9
151	Am	20	8	1	49	163	25.4	954	2550	42.40	30,42	61	50.70	4,42	67,3	6.80	191,79	385	52.70
152	D	39	16	2	47	160	26.5	1650	2450	73.30	53,37	70	88.95	8,95	67,3	13.70	84,9	380	23.58
153	TGAP	21	29	3	67	155	28	1.712,0 0	2.550	67.13	62,38	90	69.31	89,11	67,3	132	159,4	400	39.85
154	AN	22	30	3	56	155	23.5	1.241	2.550	49	38,25	90	42.50	38,93	67,3	57.8	179,3	400	44.82
155	H	25	12	3	68	158	24	1.897	2.550	50	37	90	41.00	40,2	63,5	176.43	178,5	400	43.98
156	JK	36	24	3	68	156	26.4	954	2.450	42.40	31,22	90	40.78	39,89	62,3	165.18	168,8	400	42
157	S	36	29	3	130	160	36	1.369	2.450	55.87	29	90	32.22	42,7	62,3	145.9	174,4	380	46
158	MS	29	4	1	77,3	160	33.7	3050,2	2330	73.76	139,1	61	231	127	67,3	195	344	385	92
159	TA	30	36	3	57	156	23.7	1429,1	2450	150.4	40	90	66	53,9	62,3	89.8	194,5	380	57
160	TS	30	13	1	62	165	23.4	1277,2	2330	168.3	47,7	61	79	38,6	62,3	64	183,9	365	54
161	YLS	19	8	1	53	155	26.5	2338,1	2430	96.2	58,3	61	95.57	125,8	67,3	186.92	249	385	64.67
162	YLND AZ	20	26	2	51	153	24.5	1472,3	2550	57.7	41,3	90	45.88	58,2	67,3	86.47	194	400	48.5
163	ALLSYA	23	16	2	44,2	155	23.5	2077,8	2550	81.4	57	70	81.42	78	67,3	115.89	290	400	72.5
164	DA	19	17	2	47,8	154	23.5	2216,6	2550	86.9	55,5	70	79.28	125,6	67,3	186.62	220	400	55
165	PA	30	8	1	59	155	26.5	2047,3	2.330	87.80	71,9	61	117	107,7	62,3	172	204,3	365	55
166	SH	25	33	3	79	148	33	2539,8	2.550	99	90,5	90	100	97,9	67,3	145	331,7	400	82

167	NA	28	8	1	113	165	43	2528,8	2.430	104	97,9	61	160	121,4	67,3	180	274,4	385	71.20
168	NY	27	27	2	50	144	27	2480,3	2.550	97	80,2	70	114	94,1	67,3	139	326	400	81.50
169	TM	36	28	3	69,4	153,3	29,5	1438	2450	58,6	53,4	90	59,3	15,4	62,3	24,7	263	380	69.2
170	MR	20	20	2	86,35	165	34	1151,8	2550	47	36,1	70	51,5	43,8	67,3	65	155,4	400	38.85
171	IN	33	23	2	67,8	158	31	2566,5	2450	104	93,9	70	134	71,9	62,3	115,4	387,7	380	102
172	UR	27	24	2	68	155	30	1950,4	2550	76,4	83,4	70	119	43,5	67,3	64,6	301,7	400	75.4
173	RS	35	6	2	80	165	33	1.932	2.450	78.85	68,2	90	75.77	63,9	62,3	102	274.04.00	380	72.21
174	MIJ	24	36	3	63	148	30	845.05.00	2250	37.57	32.07.00	90	35.77	12	67,3	18.95	155,5	400	38.87
175	HM	29	3	1	70	150	35	598,2	2.330	25.67	24	61	39.34	20	67,3	29.71	79,4	385	20.62
176	M	33	3	3	58,2	156	28	578,3	2.450	23.6	42	90	46.66	13,4	62,3	21.50	68,5	380	18.02
177	WSU	29	34	3	68	160	32	1.655	2.550	64,9	66,4	90	73,3	63,5	67,3	94,3	207	400	51.7
178	De	39	16	2	80	160	33	1.641	2.450	66,9	62,2	70	88.8	66,8	62,3	107	198,3	380	52.1
179	YG	29	20	2	75,2	152	32	2.180	2.550	85,4	57,7	70	82,4	145,5	67,3	216	164,3	400	41
180	SS	29	16	2	57,5	154	28	1.913	2.550	75	63,3	70	90,4	105	67,3	156	182,6	400	45.6
181	DH	28	32	3	67,8	160	29	1.208	2550	47	47	90	52	48	67,3	71	150	400	37
182	SN	33	9	1	65	165	28	1.028	2330	44	37	61	61	47	62,3	76	113	365	30
183	AMN	25	34	3	62	150	28	1082	2550	42	31	90	35	47	67,3	70	134	400	33
184	NA	39	20	2	72	158	30	1124	2450	46	40	70	58	48	62,3	78	133	380	35
185	WMS	20	11	1	58	155	28	662	2430	27	11	61	18	2	67,3	2	152	385	39
186	MA	28	22	2	113	165	36	2193	2550	86	53	70	75	123	67,3	182	223	400	55
187	SM	25	38	3	56,6	157	24,5	1541	2550	60	57	90	63	41	67,3	60	230	400	57
188	NM	38	27	3	70	144	32	2204	2450	89	99	90	110	98	62,3	157	238	380	63
189	EVA	33	10	1	44,5	145	24	996	1325	75	22	61	51	22	62,3	20	174	365	78
190	MYI	36	13	2	53,8	150	29,5	1584	2535	62	114	70	162	47	62,3	74	183	380	68
191	KSA	25	35	3	58	162	24	863	2550	34	21	90	54	12	62,3	12	172	400	46
192	DNR	37	28	3	87,6	158	35	1089	2550	42	56	90	61	37	67,3	48	133	400	33
193	EF	30	32	3	50,6	150	24	1701,6	2450	69	88	90	98	49	62,3	79	226	380	59
194	NU	31	35	3	70,7	149	28	2061,4	2450	84	93	90	104	123	62,3	197	143	380	38
195	DD	34	24	2	57,7	155	25	1093	2450	45	44	70	63	49	62,3	78	123	380	32
196	RF	25	28	3	70,6	149	30	1389,4	2550	54	57	90	64	47	67,3	70	185	400	46
197	DL	22	24	3	65	153	25	831	2250	32	53	90	88	31	67,3	33	86	400	24
198	MS	34	13	1	66	156	24	1774	2150	82	51	61	85	77	62,3	38	228	365	67
199	SM	28	26	2	51,7	149	25	872	2250	34	34	70	58	26	67,3	27	124	400	34
200	B	25	16	2	114	157	36	1897	2250	74	110	70	183	66	67,3	102	227	400	63
201	NS	20	33	3	59	151	24	732,1	2250	32.53	43	90	60	36,16	67,3	65	51,38	400	16.36
202	SA	32	32	3	68	160	25	922	2250	40,97	58	90	60	75,16	62,3	65	79,69	380	18.8
203	AL	31	33	3	62	167	24	1258,7	2250	55,94	52	90	60	68,33	62,3	65	95,84	400	37.69
204	ISH	27	35	3	86	165	34	2575	2330	110.62	93,88	91	153,9	103,76	62,3	166,5	316,3	400	166.54
205	MM	22	12	1	65	167	28	1574	2550	61.7	74,38	61	82,6	100,1	67,3	1487	238,68	385	59.7
206	TMZ	35	24	2	60	160	25	889,2	2250	39.52	28,3	70	47,16	28,3	67,3	43,53	99,2	380	27.55
207	RK	39	12	1	68	160	27	743,4	2250	33,04	19,1	61	31,83	20,8	67,3	32	118,5	365	32.91
208	SW	22	9	1	56	169	22,5	978	2250	43,46	20,8	61	34,66	37,1	67,3	57,07	142,7	385	39.63
209	HD	30	27	2	47	153	27	1.008,1	2.150	213,2	31,3	70	52	39,2	62,3	56,8	131,2	380	45,1
210	RN	41	33	3	60	145	29,5	2.392,5	2.150	89,86	85,5	90	95	149,4	62,3	216,3	176,2	380	60,6

211	RD	34	20	2	81	160	34.5	1.676,4	2.150	128.2	97,3	90	111.9	39,7	62,3	57.4	252,7	380	86.9
212	SA	27	28	3	51.6	152	25	2.150,2	2250	104.64	87,7	90	97	53,1	67.3	122.41	325,1	400	110.73
213	LR	28	16	2	40,4	155	19.8	3.469,7	2250	64.84	106,1	70	151	67,1	67.3	96.87	591,1	400	60.9
214	TS	28	36	3	74	160	29.5	1488,6	2250	151.14	90,4	90	100	50,8	67.3	127.95	165,9	400	216.99
215	MN	35	16	1	54,1	146	28	603,3	2330	25.89	20,6	61	33.7	9	62,3	14.4	108,5	365	29.7
216	NA	29	16	1	37,75	140	23	743,5	2430	30.5	33.5	61	54.9	19,8	67,3	29.4	107,85	385	28.01
217	AD	31	20	1	61	161	28	526	2330	22.5	13,75	61	22.5	7,4	62,3	11.87	108,5	365	29.72
218	RF	27	13	1	75,7	170	29	2240	2430	92.2	107,15	61	175	95,5	67,3	141	244,95	385	63.62
219	RA	34	28	3	80,8	151,3	33	1867,5	2450	76.22	81,8	90	90.8	59	62,3	94.7	257,75	380	67.8
220	RI	31	3	1	47,1	158,3	23.5	923	2450	37.6	40,3	90	44.7	43,15	62,3	69.26	91,2	380	24
221	IR	25	30	3	58,8	147,4	27.5	1602	2550	62.7	38,45	70	54.92	29,45	67,3	43.75	157	380	41.31
222	SN	30	30	3	60	145	25	1259	2450	51.3	26,25	90	29.16	68,6	62,3	110	134,25	380	35.32
223	MR	24	31	3	42,8	158	21	1071	2550	42	31,85	70	45.5	29,95	67,3	44.5	165	380	43.4
224	SU	34	32	3	55	162	26	930	2450	37.9	25,45	90	28.27	45,5	62,3	73.03	119,3	380	31.39
225	JA	22	31	3	95,5	158,2	33	1362	2550	53.41	40,3	70	57.57	59,5	67,3	88.4	161,5	380	42.5
226	LM	35	20	2	71,3	153	31	902	2450	36.8	42,1	70	60.1	36,2	62,3	58.1	99	380	26.05
227	PI	25	20	2	67,4	157	30	595	2550	23.3	31,1	70	44.42	13,59	67,3	20.19	82,85	380	21.8
228	RR	24	31	3	68	167	28	1302,15	2550	51.18	55,13	70	78.75	45,5	67,3	67.6	179,1	380	47.13
229	NS	28	24	2	84	164,2	31	1776,6	2550	69.67	78,3	70	111.8	72,6	67,3	107.8	202,2	400	50.5
230	SM	24	28	3	69	154,3	32.5	1218,7	2550	47.79	42,2	70	60.28	26,4	67,3	39.22	200,4	380	52.73
231	H	37	19	2	64,75	156	28.5	1228,6	2450	50.14	46,9	70	67	21,1	62,3	33.86	205,9	380	54.18
232	CF	21	18	2	49,35	155	28	843,4	2550	33.07	30,4	70	43.42	15,6	67,3	23.17	142,2	380	37.42
233	SR	20	28	3	73	162	28	749,5	2550	29.39	22,2	70	31.71	20,2	67,3	30.01	116,2	380	30.57
234	YS	35	28	3	80	165	31	1197,6	2450	48.88	34,5	90	38.33	23,1	62,3	37.07	209,3	380	55.07
235	NM	40	35	3	80,7k g	160c m	24	880,8	2450	48	32,2	90	60	4	62,3	6	171,6	380	66
236	SS	27	28	3	86kg	163c m	33	1118,8	2550	59	44,1	90	79	30,9	67.3	48	161,8	400	60
237	HT	37	20	2	62,1k g	163c m	26	1431,2	2450	76	41,7	70	75	59,8	62.3	93	179,7	380	67
238	WD	27	28	3	48kg	148c m	22	822	2550	52	28,7	90	61	11,3	67.3	21	146,6	400	65
239	RFD	24	26	2	59	160	27	3685,1	2550	201	99,6	70	184	67,8	67.3	109	681,9	400	261
240	NV	28	14	2	72	145	34	3593	2550	221	98,8	70	206	58,1	57.3	108	679,3	400	293
241	SHM	24	16	2	58	158	25	2254,1	2550	88	54,4	70	103	31,6	67.3	52	304,7	400	119
242	JM	32	24	2	70	148	31	2634	2450	104	108,6	70	211	94,3	62.3	159	101,7	380	41
243	NA	23	32	3	50	148	23.5	1094,5	2550	42.92	45.35	90	50.38	35,15	67,3	52.22	146,75	400	73.38
244	RA	23	31	3	51	158	26.5	1003,4	2550	39.34	58	90	64.40	30.05	67.3	45.31	118.85	400	59.43
245	YG	22	27	2	52	155	25	635,15	2550	28.22	35,25	70	39.16	33	67.3	49.03	63,5	400	31.75
246	MJ	23	34	3	53	157	25.5	572,15	2550	25.42	33	90	36.60	17,25	67.3	25.55	67,85	400	33.92
247	KS	35	25	2	67,9	155	29.5	783,4	2450	30	27,7	70	28	23,5	62.3	37	133	380	62
248	YM	36	28	3	66	147	29	839	2450	32	31,2	90	31	35,6	62.3	56	95,7	380	45
249	PR	21	16	2	57	165	23	850,6	2550	33	67,8	70	68	25,1	67,3	37	122	400	30
250	AS	40	25	2	53	155	25	1.167	2450	47	52,5	70	53	49,5	64,6	77	129,9	380	61
251	TS	28	16	2	44,2	155	23.5	2077,8	2550	81.4	57	70	81.42	78	67,3	115.89	290	400	72.5

252	CK	20	17	2	47,8	154	23.5	2216,6	2550	86.9	55,5	70	79.28	125,6	67,3	186.62	220	400	55
253	FS	32	10	1	59	155	26.5	2.156,6 5	2.330	92.56	65,7	61	107.7	83	62,3	133.23	231	365	63.29
254	MA	37	33	3	79	148	33	2.567,4 2	2.450	104.79	58,3	90	64.78	74	62,3	118.78	276	380	72.63
255	RO	40	28	3	66,3	158	30.5	2.123,3 0	2.450	86	76,6	90	85.11	57,2	62,3	91.81	241	380	63.42
256	AS	23	20	2	40	148	21	2.225,4 0	2.550	87.27	68,33	70	97.61	43,98	67,3	71.29	287,64	400	71.91
257	S	30	8	1	72	151	31.5	1.768,3 0	2.430	72.76	41,7	61	68.36	37,88	67,3	56.28	204,7	385	53.16
258	WI	25	16	2	97	157	37	2.450,5 0	2.550	96	63,25	70	90.35	59,8	67,3	88.85	386	400	96.50
259	HD	27	9	1	60	157	25	2.039,7 2	2.430	83.94	81,1	61	132.95	57,2	67,3	84.99	257	385	66.75
260	RA	29	20	2	52	156	26	2.269,8 0	2.550	89.01	73	70	104.29	56,3	67,3	83.66	260	400	65
261	DT	32	16	2	55	157	24.5	1.982,2 0	2.450	80.91	62,5	70	89.29	59,1	62,3	94.86	219	380	57.63
262	BS	25	8	1	65	154	30	2.503,1 0	2.430	103.01	68	61	111.48	50,4	67,3	74.89	208	385	54.03
263	RS	28	24	2	60	153,5	28.5	1.766,8 0	2.550	69.28	82,32	70	117.60	42,1	67,3	62.55	254,7	400	63.67
264	DT	27	32	3	60	154	29	1.843,4 0	2.550	72.29	83,4	90	92.67	56,2	67,3	83.50	242,3	400	60.57
265	HU	28	8	1	60	158	25.5	1.876,7 0	2.430	77.23	57	61	93.44	53,2	67,3	79.04	287	385	74.54
266	HS	32	17	2	58,5	155	28	1.929,9 0	2.450	78.77	54,6	70	78	69	62,3	110.75	271,4	380	71.42
267	HDS	34	16	2	47	152	23	1.352,4 0	2450	55.20	61,8	70	88.20	22,9	62,3	36.70	217,6	380	57.20
268	SE	27	19	2	46	153	24	2.029,8 0	2550	79.60	77,4	70	110.50	42,4	67,3	63	329	400	82.20
269	FI	37	28	3	55	175	25	1.262,2 0	2450	51.50	47,7	90	53	26,5	62,3	42.50	188,8	380	49.60
270	FT	34	20	2	56	163	25	1.689,9 0	2450	68.90	44,4	70	63.40	72,8	62,3	116.80	209,7	380	55.10
271	DA	26	33	3	64,5	160	26	1.568	2550	61.49	55,2	90	92	42,1	67,3	64	188,2	400	52
272	NG	26	30	3	65	155	28	1.896	2550	74	53:26:0 0	90	88	.39	67,3	60	195,76	400	54.30
273	WN	24	24	2	48,5	154	27.5	1.972	2550	80	64,6	70	106	52	62,3	86	289,89	380	85.00
274	SC	26	17	2	58	161	27.5	1.723	2550	70	52,9	70	88	46	62,3	76	265.78	380	78
275	NW	26	19	2	70	155	33	1236,1	2550	48	88,4	70	126	30	67,3	44	147,4	400	36
276	DS	33	36	3	65,53	149	33	1531,2	2450	62	80,5	80	100	24	62,3	38	247,4	380	65
277	IN	33	20	2	75,74	150	33	1152,3	2450	47	53,5	70	76	37,6	62,3	60	148,4	380	39
278	R	28	32	3	52,1	150	32.5	1177,5	2550	46	39,8	80	49	48	67,3	71	150,6	400	37

279	FA	21	16	2	47,9	157	22.8	1591,1	2550	70	68,4	70	144	19,8	67,3	32.76	155	400	83.05
280	RA	39	24	2	67,25	158	28	2206,9	2450	102.6	58,7	70	107.83	54,7	62.3	86.18	372,4	380	149.52
281	MH	29	36	3			27.5	1102,5	2450	49	43,7	70	102.83	27,1	62.3	44	167	380	86.38
282	N	35	24	2	70,85	194	29.5	1296,2	2450	60	49	70	111.6	17,3	62.3	29	230,2	380	107.7
283	S	24	20	2	78,6	160	30.5	2284,2	2550	89	68,5	70	97	65	67,3	96	297,4	400	74
284	SF	28	28	3	67,9	158	28	1973.8	2550	77	66,9	90	66	62,5	67,3	92	263,1	400	65
285	AF	16	13	2	62,3	159	27	1932,1	2400	75	37,6	75	50	85,5	72.3	118	160,9	325	47
286	DRS	29	20	2	59,1	158	28	2179,5	2550	85	62,7	70	89	55,5	67,3	82	278,2	400	70
287	YW	33	35	3	55,4	142	26	1.596	2450	34.77	71.95	90	80	73.75	62.3	60.90	166	380	44
288	SA	23	24	2	83	159	33	1.042	2450	42	47	90	57	40	67.3	35	119	400	30.83
289	SW	28	32	3	54,5	152	22	1.781	2550	58	78.65	84	93.63	51	67,3	75	251	400	62
290	H	40	32	3	63	142,5	25	1.045	2.450	42.67	48	70	67	28	62	48	148	380	38.98
291	N	32	20	2	65,2	145	28	1302	2450	53	54,4	70	77.70	29	62.3	46.5	200.6	380	52.70
292	JS	36	24	2	42	146	27	943.6	2450	39	26,7	70	38	12.1	62.3	19	175.6	380	46
293	RW	33	1	1	48.2	139	25.5	1196.5	2330	51	32.2	61	52.70	3.6	62.3	5.7	261.9	365	71
294	SC	35	16	2	52,6	146	27	2205	2450	90	64,4	70	92	82.2	62.3	131	303,4	380	80
295	NK	30	17	2	66	158	30	1441	2450	77	67,3	70	89	12,3	62,3	15	260,8	380	57
296	SR	28	24	2	62,5	158	27	2276,2	2550	89	107,7	70	153	73,2	67,3	108	291	400	72
297	F	38	37	3	82	154	33	1202	2450	49	38,9	90	43	20	62,3	32	210,1	380	55
298	JE	30	32	3	92	160	33	1202	2450	49	38,9	90	43	20	62,3	32	210,1	380	55
299	DMD	26	26	2	60	154	26	2317,6	2550	103	116,4	70	194	126,6	67.3	194.8	181,5	400	50.4
300	ES	35	10	1	45,35	150	23	2153,8	2330	100.2	76,9	61	128	85,6	62.3	143	270,6	365	79.6
301	DW	31	9	1	55,2	160	28	1437,5	2330	66.9	55,5	61	92.5	70	62.3	117	147	365	43.2
302	LK	34	8	1	56,4	162	28	709,3	2330	33	25,1	61	41.8	20,8	62.3	34.7	113,9	365	33.5
303	SS	34	21	2	59	150	19	1621	2450	66	68,5	70	97	14,4	62,3	23	172,1	380	45
304	MZ	24	24	2	45	155	23	741,7	2550	29	36	70	51	34	67,3	50	87,8	400	21
305	ER	31	16	2	53	150	20	1617	2450	66	59	70	84	48	62,3	77	111,9	380	29
306	HR	21	28	3	46	153	19.5	1445	2550	56	55	90	61	43	67,3	63	165	400	41
307	n	42	31	3	62	132	28	1259,5	2450	51.4	31,5	90	35	59,5	62,3	95.6	150,6	380	39.6
308	pna	22	31	3	57,5	155	26	2132,4	2550	83.6	71,9	90	79.8	73,9	62,3	118.6	298,4	400	74.6
309	mt	32	8	1	72	0	33	1445,4	2330	62	40,7	61	66,7	77,4	62,3	124.2	150,4	365	41.2
310	yn	28	17	2	67	157	31	1808,8	2550	70.9	50,2	70	71.7	51,3	62,3	82.3	283	400	70.7
311	SV	21	11	1	48	154	26	610	2430	25.10	36	61	59.01	18,6	67,3	85.9	110	385	28.57
312	RR	32	11	1	50	149	28.5	1815	2330	77.89	86,3	61	141.4	59,3	62,3	93.68	236,4	365	64.76
313	SNM	26	30	3	57,5	155	30.5	1441	2550	56.5	30,4	90	33.77	52,5	67,3	78	216,4	400	54.1
314	EN	25	24	2	57	157	26.5	1615	2550	63.33	27,7	70	39.57	24,5	67,3	36.4	330,4	400	82.6
315	ZR	26	36	3	65	157	26	2.401,2 5	2550	94	73,35	90	82	47,45	62.3	76	408,3	380	107
316	RR	27	12	1	66,3	150	32	1486	2430	61.16	63.85	61	149.5	40.5	67.3	85.96	209	385	77.55
317	S	37	36	3	66	165	24	1.042.6 5	2450	25.03	47.1	90	46	40.5	62.3	65	119.2	380	30.83
318	NS	36	12	1	64	155	31	2.456,8 0	2330	106	80,9	61	132	57,96	62.3	116.38	310,3	365	84
319	IM	34	32	3	64	150	27	610	2430	25.102	36	61	59.01	18,6	67,3	85.9	110	385	28.57

320	EP	25	24	2	57,2	157	29	1445	2330	62	40	61	61.7	77,4	62.3	124	150,4	365	41.2
321	IWN	27	32	3	57	170	29	1345	2341	56.5	32	90	34	56	67.3	78	217	400	54.1
322	ST	42	32	3	62	154	28	1615	2550	63.33	27,7	70	39.57	24,5	67,3	36.4	330,4	400	82.6
323	SN	26	9	1	46	155	23	2.167	2.250	96	55	61	91	59	67.3	90	175	385	48
324	RS	32	25	3	58,5	157	25	1.858	2.450	86	68,8	90	114	61,5	62.3	102.50	269,6	380	79
325	SU	37	25	3	70	163	28	2.008	2.450	93	99,9	90	166	62,4	62.3	104	265,1	380	78
326	SA	32	15	2	65	160	27	1.826	2.450	84	71,6	70	119	49,2	62.3	82	284,2	380	83
327	JM	30	34	3	72	153	31	917,5	2.450	37	48,25	90	63	11	62,3	18	151	380	41
328	S	31	33	3	87,8	158	34	1.540	2.450	63	67,8	90	88	30	62,3	50	195	380	54
329	NH	35	11	1	78	160	33	1.365	2.450	55.7	42,8	61	55.5	38	62,3	63	166	380	46
330	IH	37	23	2	66,9	148,5	31	1.450	2.450	59	46	70	59.7	27	62,3	44.7	250	380	69
331	RAP	27	11	1	85	153	33	1506 kkal	2430 kkal	61	55 gr	61 gr	90	59 gr	67,3 gr	87	201 gr	385 gr	52
332	HFZ	26	32	3	61,8	150	28.8	1186 kkal	2.550 kkal	46	47 gr	90 gr	52	35 gr	67,3 gr	52	171 gr	400 gr	42
333	FY	29	23	2	56,89	150	21	1256 kkal	2.550 kkal	49	46 gr	70 gr	65	35 gr	67,3 gr	52	185 gr	400 gr	46
334	DO	32	30	3	74	162	27	1439 kkal	2.550 kkal	56	80.6 gr	90 gr	89	50.7 gr	67,3 gr	75	161 gr	400 gr	40
335	55	69, 7	155	44, 96	950	2450	38.7	176.6	2450	47	50.9	90	56	2.9	62.3	3.7	176.6	380	47
336	48	52	156	21. 3	1064	2450	43	165,1	2450	43	39.2	90	44	28	62.3	45	165,1	380	43
337	II	33	24	2	68	153	29	1136 kkal	2450 kkal	46	45,2 gr	70 gr	64	22,4	62.3 gr	35	181,1 gr	380 gr	48
338	NM	27	20	2	44,7	145	20	910,5 kkal	2550 kkal	40	34.36 gr	70 gr	49	7,59 gr	67,3 gr	11	172,85 gr	400 gr	43
339	SR	28	15	2	55	150	25	1.396	2.550	54	57,4	70	82	28,4	67,3	42.2	227,7	400	56.90
340	TL	23	28	3	52	160	24	1.165	2.550	45.70	39,4	90	43.80	18,1	67,3	28.59	202,2	400	50.55
341	CS	25	12	1	54,5	160	25.5	600	2.430	24.7	16,1	61	26.39	7,7	67,3	11.44	116	385	30.13
342	NR	27	32	3	56	151	44	1.463	2.550	57.40	63,7	90	70.77	33,4	67,3	49.60	215,55	400	53.88
343	NN	30	8	1	72,5	151,5	31.4	2878,4	2330	123.5	110,5	61	181	73,3	62,3	117.60	433,8	365	118.80
344	RS	25	27	2	69,3	146,9	28.8	1616	2550	63.4	70,4	70	100.5	15,4	67,3	22.3	297,4	400	74.4
345	NV	25	8	1	58	151,1	26	1300,2	2430	53.5	55,4	61	91	34,3	67,3	51	195,6	385	51
346	IA	24	32	3	60,7	153,4	25.5	2843,9	2550	111.5	122,3	90	135.9	115,9	67,3	172.2	331,3	400	82.8
347	RM	23	35	3	70,7	157	28.5	696,1	2.550	27.29	23,2	90	25.70	25	67,3	37.14	94	400	23.50
348	RA	27	27	2	55,9	146,5	25.5	1442,9	2.550	56.58	42	70	52.50	30,2	67,3	44.87	250	400	52.50
349	ZF	27	21	2	47,6	154,9	22.5	2516,3	2.550	98.67	120,5	70	150.62	71,62	67,3	105.79	342,5	400	85.6
350	DS	28	23	2	55	157	26	1704,9	2.550	66.86	55,7	70	69.63	41,5	67,3	61.66	273,4	400	68.35
351	ES	29	32	3	55,4	155	23.6	875	2450	35.70	64	90	71.10	24	67,3	53.60	115	385	29.80
352	RR	33	20	2	54,5	149	24.3	1150	2550	45	35	90	38.80	9,8	67,3	14.30	102	400	25.50
353	JL	34	34	3	79	145,9	31	1340	2550	52.50	131	90	163.7	36,2	67,3	53.70	480	400	120
354	MA	25	31	3	60,8	153,3	23.5	985	2550	38.60	65,7	90	73	43,2	67,3	64.10	227,9	400	56.90
355	NA	31	12	1	57	156,5	26	394,2	2.330	16	14,6	61	23	4,45	62,3	7	71,7	365	19

356	HE	21	28	3	46	152	20.8	930	2.550	36	27,57	90	31	14,4	62,3	23	172,34	400	43
357	E	31	32	3	69,3	146,8	34.5	935	2.450	38	36,43	90	40	19,95	62,3	32	152,8	380	40
358	N	29	20	2	71,9	156,5	31.2	1.615	2.550	63	67,2	70	96	36,43	62,3	58	258,7	400	65
359	K	38	32	3	70,2	151,5	32.5	1.507	2.450	62	41	90	46	46	62,3	74	224	380	59
360	DS	22	31	3	58,2	157,5	26	1.477	2.450	60	72,5	90	81	49	62,3	79	231,9	380	61
361	WPS	23	36	3	62,6	140	28	1.102,0 0	2.450	45	47,4	90	52	39	62,3	63	137,2	380	36
362	AR	29	32	3	80,3	150	35.5	1.317	2.450	54	39	90	43	42	62,3	67	191,3	380	50
363	ZDGS	31	21	2	48,7	150	24	2.181,7 8	2450	98	125,51	70	113	40,24	62,3	81	333,2	380	100
364	NP	27	23	2	50,6	148,7	25.5	1.865,3 0	2550	81	48,08	70	42	64,52	67,3	127,70	209,78	400	61,40
365	AP	24	36	3	78	154,8	28	1.574,8 0	2550	62	35,8	90	28	51,14	67,3	90,80	203,8	400	53
366	NIS	29	16	2	57,3	159,5	30.7	1.509	2550	63	32,02	70	26	71	67,3	134	154,08	400	43
367	FW	33	36	3	48	155	26.5	2145,7	2450	87	50,8	90	56,40	60,3	62,3	96	310,9	380	81
368	NA	33	12	1	74,5	148	32	2.470	2.330	106	66	61	108	58,6	62,2	94	357,4	365	97
369	SY	30	28	3	78	155	30	2.500	2.450	102	86,2	90	95	70,1	62,3	112	377,5	380	98
370	MG	26	12	1	73	158	29	2490,8	2.430	102	70,5	61	115	72,4	67,3	107	369,8	385	96
371	SA	30	16	2	61,8	146	31	2.170	2550	85	40	70	117	32	62,3	145	390	380	152
372	AS	25	38	3	55	144	26	2.542	2550	118	60	90	187	50	67,3	231	280	400	115
373	FY	26	24	2	41	147	22	936	2550	78	84	70	117	26	67,3	136	139	400	53
374	AW	22	28	3	57	155	27	950	2550	68	77	70	108	15	67,3	68	140	400	54
375	VVW	27	27	3	64,9	150	30	944,4	2550	35,04	67,55	90	87,72	28,3	67,3	41,2	130,5	400	31,22
376	NA	25	28	3	49,6	145	23	1.594,4 5	2550	34,73	43,05	90	34,16	22,45	67,3	29,82	194,55	400	27,02
377	SW	41	7	1	67	140	28.5	1.186,2 0	2450	27,04	45,55	61	50,61	70,8	62,3	113	177	365	25,72
378	YS	31	24	2	49,1	147,9	48.5	1.229,5 5	2450	36,40	66,2	70	52,53	40,54	67,3	60,1	143,45	380	25,61
379	JN	26	32	3	61	151	26	1506	2550	64	61	90	66,6	39	67,3	58	260	400	65
380	DS	33	33	3	61,5	153	24.8	1002	2450	40,8	31	90	34,4	31	62,3	49	143	380	37
381	EZ	27	22	2	72	161	33	1628	2350	69	65	70	92,8	43	67,3	63,8	251	400	62,7
382	DN	33	12	2	60	165	27	1581	2450	64,5	59	70	84	39	62,3	62	220	380	58
383	FT	29	26	3	48	154	28	995,5 kcal	2550	45	48,2 gr	90 gr	76	59,7 gr	67,3	95	211,3 gr	400	55
384	KR	25	32	3	50	149	31	1261,6 kcal	2550	25	78,2 gr	90 gr	112	68,7 gr	67,3	101	119,2 gr	400	55
385	LN	32	30	3	43	155	29,5	1257 kcal	2450	56	56 gr	90 gr	82	25 gr	62,3	40	102 gr	380	57
386	YL	33	24	2	57	153	33	1333 kcal	2450	67	74,5 gr	70 gr	106	49 gr	62,3	92	88 gr	380 gr	43
387	SO	22	15	2	55	156	23	1,607	2550	63	51	70	57	72	67,3	107	189	400	47
388	DP	21	24	2	44	150	20	873	2550	34	37	70	41	30	67,3	44	115	400	29
389	DE	28	36	3	67	154	27	2245	2550	78	61	90	67	54	67,3	80	305	400	76
390	YL	27	34	3	76	155	32	2,526	2550	99	106	90	117	86	67,3	128	332	400	83

391	RD	33	30	3	93	158	23	2100	2450	106	110	90	111	67.5	62.3	118	400	380	110
392	ER	32	39	3	68,8	163	30	1537	2450	87	73	90	82	62.3	62.3	79	320	380	84
393	HY	30	30	3	52	150	22	1768	2450	111	80	90	101	62.3	62.3	125	330	380	86
394	AN	36	28	2	63	140	26	2138	2450	130	148	70	180	62.3	62.3	100	328	380	86
395	SR	19	24	2	43	150	21	1,075	2550	42	44	70	63	19.5	67.3	29	167.5	400	42
396	R	24	16	2	58.4	157	26.5	1,78	2550	70	62.2	70	89	48.5	67.3	72	276	400	69
397	PRP	26	29	3	64.7	152	27.5	2,192.5 0	2550	86	90.5	90	100	72	67.3	106	291	400	72
398	HN	30	24	2	84.2	153	33	1,512.5 0	2450	61	42.5	70	60	39	62.3	62	231.5	380	61
399	Ny. E	24	25	2	46.1	150	24	1,515	2550	59.41	64.64	70	92	25.22	67.3	38	261.35	400	65
400	Ny.EK	26	21	2	82.1	165	30	1,134	2550	44	54.86	70	78	50.2	67.3	75	211.12	400	53
401	Ny.Ey	32	32	3	85.1	150	32	1,555	2450	63	57.21	90	65	49.6	62.3	55	249.93	380	66
402	Ny. RF	31	40	3	63.1	148	26	1,578	2455	064	185.53	90	211	31.16	62.3	35	144.45	380	38

Lampiran 4. Dokumentasi



Wawancara food recall 24 jam responden



Pengukuran Lingkar Lengan Atas (LiLA) ibu hamil